19 November 1979

MEMORANDUM FOR THE RECORD

SUBJECT: AIRES Briefing

1. General	
On Wednesday 31 October 1979 (AIRES	2
Requirements Manager, DIA, DC-5C, briefed the DASITT on DIA	2
ADP-T systems associated with imagery processing. The briefing	
concentrated on AIRES support depicted and described through five (5) node descriptions and flow diagram provided by DASITT	2
members present were:	2
·	
All DASITT members were notified by telephone in advance and were	2
The remainder of this memorandum, in order to be non duplicative of	2
the extensive information provided, highlights and expands upon	
information in descriptions of the "nodes" as identified by	2
These five nodes are:	
* Collection/Exploitation Requirements	
* Imagery Interpretation	
* Data Base Update, Maintenance and Associated Products	
* General Research and Support	2
* Analyst Support	
* U&S Commands and Military Deportments Interface (PLANNED)	
DIA review(s) completed.	
RNING NOTICE	
LIGENCE SOURCES TOP SECRET	
ETHODS INVOLVED Approved For Release 2004/01/20 : CIA-RDP83M00171R000600080004-0	

TOP SECRET

SUBJECT: AIRES Briefing

2. Background of AIRES

The Advanced Imagery Requirements and Exploitation System	,
(AIRES) development effort began in mid 1973.	25X1
was a major factor in the DIA decision to develop a new system to	
remove/reduce delays experienced within DIA with respect to collection	
management, exploitation and analysis of imagery derived information.	
AIRES requirements were thus to provide timely support to Washington	OFW
area DIA/DOD users located at the Pentagon, and Arlington Hall Station. AIRES requirements also included providing data access and	25X1
Station. AIRES requirements also included providing data access and interfaces to U&S Commands (world-wide), military departments, and	
interfaces to U&S Commands (world-wide), military departments, and civilian IC agencies as appropriate to consolidate and integrate imagery	
collection/exploitation requirements, DIA imagery analysis activities	
and support to the NMIC and the JCS intelligence functions	25X1
AIRES achieved its IOC in January 1978 and continues to expand	2J/\ I
its user services and functions. The AIRES implementation relied	
heavily on the PACER operational capability developed by SAC and is	
resident on H6080 computer system. It currently supports over 100	
terminals and is extending its external interfaces with related ADP	
systems via data communication facilities directly interfaced (via 21V)	
with AIRES. Currently, however, the majority of its external interfaces	
are accomplished in batch mode (daily, weekly and monthly) through	
magnetic-tape exchange.	25X1
2 Collection/Punl-itation Provinces No. 3-	
3. Collection/Exploitation Requirements Node	
AIRES provides a mechanism for the automated receipt, monitoring	
and managing of DIA and U&S Command imagery collection and exploitation	
requirements. It is the major DOD interface with CAMS for the	
nomination of standing and non time-sensitive collection requirements.	
Its data base is the IROF, containing those validated requirements (some	
86,500) concerning 46,500 unique installations (targets) identified for	
collection. The system seems to work fairly well for standing	
requirements. Currently, time-sensitive and ad hoc requirements are	
handled by CCF (from the U&S Commands), or directly to the CSC	25X1
in the case of the military deportments. Both the CCF and CSC have	
access to and directly utilize CAMS and AIRES terminals. AIRES has	
implemented software to support Washington area Collection/Exploitation	
Management functions and analysts (all-source) requests for imagery	
collection. It plans to extend this capability to U&S Commands via IDHSC II in CY1980. Clearly, time-sensitive, ad hoc and crisis	
requirements are not yet supported well by AIRES. Most noticeable is	
the lack of timely feedback on the status of said request. Its	
electrical interface via DATEX with CAMS, through the 21V, appears to be	
working satisfactorily. It is likely that when AIRES can develop and	25X1
improve on the CAMS-interface so that it supports well the CCF and	
"internal" analysts, then the U&S Command structure and ADP systems,	
through IDHSC II, could be equally served.	25X1
<u> </u>	

Approved For Release 2004/01/20 : CTA-RDP83M00171R000600080004-0

Approved Formelease 20001/20 ELA-RDP83M001 R000600080004-0

SUBJECT: AIRES Briefing

4. Imagery Interpretation (II) Node

This subset of AIRES is similar to the functions developed for PACER. Approximately half of the AIRES terminals are devoted to PI support function. There are terminals at an approximately 2:1 ratio/PI for I&W at the Pentagon and 4:1 at Arlington Hall _______ These provide input mechanisms for PI reports in response to DIA "standing" and Direct Support Exploitation. The reports ultimately (monthly) are collected and result in batch update to the DIA maintained Data Base of Imagery Derived Information (DBIDI). AIRES planning includes expansion of the current "profiling" capability which results in transmission of all PI reports item by item to U&S Commands, the NMIC, and DIA served "internal" analysts. NPIC reports are directly entered in the DBIDI. AIRES intends to handle much of the data base input and maintenance function of the DBIDI in the future.

5. Data Base Update, Maintenance and Associated Products Node

The description and "flow" diagram of this node is the most extensive. Considerable detail and "loading" factors can be obtained or extrapolated from the information provided here. This node in fact describes the data base environment which AIRES supports. One is struct by the diversity of input (tapes, on-line and electrical BATCH) and quanity of output. The data base contains installation identification elements (IIE) on some 438K installations, approximately 10 months of PI reports from "all" producers which total 290K items with an arrival rate of 25-30K /month, the last 45 days of NPIC Spot/Highlight reports, and | HAC for the historical area coverage (HOC) for and 30 days of A/C coverage for crisis areas only. AIRES plans to become (maybe it is) the authoritative data base on AIF targets. Monthly, AIRES produces or will produce a "new installation tape" for AIF update and I believe intends in fact to produce AIF charge data for at least the IIE's on existing targets.

6. General Research and Support Node

There is really not to much to say about this node. Essentially it is the "name" given to the accessibility of AIRES capabilities implemented to support DIA internal users, to external users. These users use the data resident in AIRES to support imagery related activities for which they have interest or responsibility. In fact, access to the data is provided by a variety of application programs which have been developed for DIA Analyst, Collection Managers, and DIA Imagery Interpreters. External CRT terminals which provide the "Read-only" access capability exist within the COMIREX staff elements (ICRS, EXSUBCOM, CSC), NPIC, State Department and ADCOM. AIRES intends to provide this capability (limited naturally to a small number of AIRES Access Ports) to all U&S Commands and other DOD organizations with requirements for this data. It is the kind of access one would or could provide via COINS when/if AIRES enters that network and assuming the AIRES capacity is adequate to respond timely to information requests.

25X1

25X1

25X1

25X1

25X1

25X1

SUBJECT: AIRES Briefing

TOP SECKET

7. Analyst Support Node

The capabilities in AIRES are extended in this node to support all-source analysts, target analysts (mostly Crisis/area oriented) and 1&W managers with information necessary for them to advise and make decisions regarding an unusual situation. Included is considerable OB data (all-source), operational reports, and I&W Problem Set. One is left with the impression that this node and its description is more a plan and/or concept than a reality. It encompasses many of the ideas we heard in the ARTISS briefing at the CCF. In fact, if implemented it would probably be ARTISS. Of interest is the statement that "AIRES has the capability of maintaining 100 crisis areas described by country, WAC area or polygen area". I'm not sure what "capability of maintaining means, but I've got the feeling that it means only output (printed) of all the data AIRES holds on the targets which have been described as belonging to the one of one-hundred crisis areas. This is a nice feature if the "capability of maintaining" means near real-time and the output doesn't take a major (overnight?) batch run. We might send this node description to the CCF and ask them if implemented does this satisfy the requirements of the ARTISS concept?

8. AIRES/U&S Commands, Military Deportments Interface Node

Little of the capabilities expressed in the definition of the processes and interfaces in this node are operational. The planned capabilities include utilization of 21V's at LANTCOM, PACOM, SAC, EUCOM, ADCOM, Navy/IAIPS, Army/FSTC/MIA and AF to connect/interface, via IDHSC II, terminals and/or local ADP systems to the AIRES via the Arlington Hall IDHSC II switch. AIRES will then provide:

- * capability to enter imagery collection/exploitation requirements on command local systems or directly connected AIRES terminals and transmit these to AIRES
- * capabilities to monitor the status of the above requirements
- * capabilities for "bulk" data transfer (more timely than mail/courier of magnetic tape and more accurate)
- * capabilities for these organizations to use General Research tools available in AIRES.

Presently ADCOM has AIRES terminals. DIA and LANT anticipate IOC in April 80 with other U&S Commands and the military departments phasing in depending upon "local" resource availability (ie. when they want to and when they can budget the HW/SW costs). AIRES plans man-machine, interactive query response capabilities via IDHSC II in February 80.

25X1

TOP SECRET
Approved For Release 2004/01/20 : CIA-RDP83M00171R000600080004-0

25X1

25X1

SUBJECT: AIRES Briefing

9. Summary

AIRES has ambitious plans. AIRES supports the largest number of users and most diverse set of functions. It maintains and plans to provide access to the largest base of imagery derived information. AIRES intends to double the number of terminals it supports (in excess of 200) by 1984. AIRES is using PACER age technology. PACER plans an upgrade by 1984. AIRES hopes to utilize a more distributed ADP architecture in its expansion. But these plans are fuzzy at the present time. It is likely that without major HW/SW upgrade AIRES will be unprepared to adequately handle the quanity and timeliness of NRT Alternatively, AIRES must collection systems eliminate some of its planned support functions or distribute them on a much larger scale than currently envisioned. The AIRES computer environment has all of the earmarks of a large scale, centralized system implementation without nearly the capicity to timely serve the user requirements anticipated in the mid 80's. Conversely, if it does, the IDHS-80 upgrade plans at PACER appear excessive to the requirements. Currently PACER and AIRES benefit from considerable H/W and S/W commonality as well as a strong and knowledgable user ADP and contractor staff. I am concerned.

Distribution:
Orig:

Copy 1

2
3
4
5 Registry RM

6 File 7 File

8 File

25X1 25X1

25X1

25X1

TOP SECRET

Approved For Release 2004/01/20 : CIA RDP83M00171R000600080004-0

DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved

USIBONLY-

USIB Departments Only

ORCON-

Dissemination and Extraction of Information

Controlled by Originator

REL . . .-

This Information has been Authorized for

Release to . . .